




**Single Wired Air Speed Probe
(AS-201/202A)**



**Single Wired Particulate Meter
(PC-3016A, PC-3500, PC-4000/5)**

OR

AS-RHX Temperature and Humidity Probe

Up to TWO Wired DirectSense II Probes




**Single Wireless DSII Probe
OR
Single Wireless Particulate**

XM contains two Wireless BLE Channels



**Single Wireless DSII Probe
OR
Single Wireless Particulate**





**Single Wired Air Speed Probe
(AS-201/202A)**

**Single Wired Particulate Meter
(PC-3016A, PC-3500)**

OR

AS-RHX Temperature and Humidity Probe

**Single Wired DirectSense II (DSII) Probe
OR**

Two Wired DSII Probes via Y-Adapter (AD-DSIIP2-Y)

**Single Wired DSII Probe
OR**

Two Wired DSII Probes via Y-Adapter (AD-DSIIP2-Y)



AdvancedSense XM Probe Connections

Oct 2024

MAXIMUM NUMBER OF CONNECTIONS	AdvSXM Meter	AdvSXM + WolfRadio-XM-PC Module	AdvSXM + Y-Adapter (AD-DSIIP2-Y)
Wired DirectSense II Probes	2	2	4
Wireless DirectSense II Probes (BLE)	2	1	
Wired Particulate Meter OR Wired AS-RHX Probe (Temp/%RH)	1	1	1
Wireless Particulate Meter (BLE)		1	
Wired Air Speed Probe	1	1	1

GrayWolf Sensing Solutions

www.GrayWolfSensing.com

© 2024 GrayWolf Sensing Solutions, LLC. All specifications subject to change without further notice.

